

ILLEGIB

Approved For Release 2000/08/23 : CIA-RDP78T05439A000300320047-6

Next 1 Page(s) In Document Exempt

Approved For Release 2000/08/23 : CIA-RDP78T05439A000300320047-6

Copy 5
12 Pages


~~TOP SECRET~~

0301R25
S-10603
NPIC/R-250/64

April 1964

PHOTOGRAPHIC INTERPRETATION REPORT

MISSILE DEVELOPMENT
AND PRODUCTION CENTER
AT DNEPROPETROVSK, USSR
DECEMBER 1963



CIA




DIA

Handle Via TALENT-KEYHOLE Control Only

WARNING

This document contains classified information affecting the national security of the United States within the meaning of the espionage laws U. S. Code Title 18, Sections 793 and 794. The law prohibits its transmission or the revelation of its contents in any manner to an unauthorized person, as well as its use in any manner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of the United States. It is to be seen only by personnel especially indoctrinated and authorized to receive TALENT-KEYHOLE information. Its security must be maintained in accordance with KEYHOLE and TALENT regulations.

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



~~TOP SECRET~~

Declassification Review by NIMA/DOD

GROUP 1
Excluded from automatic
downgrading and declassification

TOP SECRET CHESS RUFF

PHOTOGRAPHIC INTERPRETATION REPORT

MISSILE DEVELOPMENT
AND PRODUCTION CENTER
AT DNEPROPETROVSK, USSR
DECEMBER 1963

NPIC/R-250/64

April 1964

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

TOP SECRET CHESS RUFF

TOP SECRET CHESS RUFF

NPIC/R-250/64



FIGURE 1. MISSILE DEVELOPMENT AND PRODUCTION CENTER, DNEPROPETROVSK, USSR, [REDACTED]

25X1D

TOP SECRET CHESS RUFF

TOP SECRET CHESS RUFF

NPIC/R-250/64

25X1D

SUMMARY

Photography of the Dnepropetrovsk Missile Development and Production Center, USSR, obtained in [REDACTED] (KEYHOLE Mission [REDACTED]) is of the best quality that has been obtained of that installation to date. The best previous photography of this installation was obtained in [REDACTED] and a number of changes have taken place since that time. These include completion of three major production buildings which add approxi-

mately 390,000 square feet of roof cover; construction in progress of an additional production building; the building of several smaller industrial, storage, and testing structures; and an increase in size of approximately 25 percent in the secured area of the center's test facility. The [REDACTED] photography also reveals a number of details of the installation which heretofore have not been discernible.

25X1D

25X1A

INTRODUCTION

25X1D

25X1D

The Dnepropetrovsk Missile Development and Production Center (DMDPC) [REDACTED] is located at 48-26N 34-59E on the southern edge of the city of Dnepropetrovsk, USSR (Figure 1). It has been built since World War II and was originally designed to produce motor vehicles. It is now one of the major installations involved in the Soviet missile program.

changes that have taken place between [REDACTED] and to describe details of the installation which heretofore have not been discernible. The dimensions given in this report are derived from good-quality photography by improved mensuration techniques and may not necessarily agree with previously published figures.

DMDPC was first clearly seen on photography of [REDACTED] and a report was compiled based on that photography. 1/ Subsequent coverage in [REDACTED] was poor until [REDACTED] produced the best photography of the installation that had been obtained to date. The purpose of this report is to describe

The installation consists of three contiguous yet distinct parts: Plant Post Box 186 on the northeast side, Plant Post Box 192 in the center, and the Test Facility on the southwestern side (Figure 1). Each part is separately walled or fenced and little direct access is evident between parts. Rail spurs enter all three areas.

PLANT POST BOX 186

Plant Post Box 186 constitutes the major part of the Dnepropetrovsk Missile Development and Production Center and accounts for about half of the total acreage of the installation (Figures 2 and 3). This facility con-

tains a powerplant, 18 major production buildings, and numerous smaller administration, storage, and miscellaneous structures. A rail spur enters the plant area from the west, and branches of this spur serve most of the build-

TOP SECRET CHESS RUFF

NPIC/R-250/64




FIGURE 2. PLANT POST BOX 186, [REDACTED]

25X1D

NPIC H-8983 (4/64)

- 2 -

TOP SECRET CHESS RUFF

TOP SECRET CHESS RUFF

NPIC/R-250/64




FIGURE 3. LAYOUT OF PLANT POST BOX 186.

TOP SECRET CHESS RUFF

TOP SECRET CHESS RUFF

NPIC/R-250/64

25X1D

ings. The entire area is surrounded by a wall which has main entrances on the north and east.

Several changes have taken place at this plant since [REDACTED]. The wall around the plant area has been extended approximately 1,300 feet westward along the rail line to enclose an additional seven acres which will probably be used for storage purposes. Some light-colored earth scarring was seen in this area on photography of [REDACTED].

[REDACTED] but the enclosing wall was first seen on photography of [REDACTED]. This part of the plant was cloud covered during an intervening photographic mission of [REDACTED].

Another change since [REDACTED] is the construction of an addition (item 1A, Figure 3) to the large final assembly building (item 1) in the western part of the area. This addition measures approximately 480 by 345 feet, and the 165,600 square feet of added roof coverage represents an increase of more than 40 percent in the roof coverage of the final assembly building. Construction began on this addition some time after [REDACTED].

[REDACTED] Haze and heavy cloud shadow obscured the site on photography of [REDACTED] preventing a determination of the construction status at that time. In [REDACTED]

the addition appeared to be nearing completion with some work possibly remaining to be done on the roof. One monitor is evident on the northern end of the roof, and other monitors will probably be constructed on the remaining portion.

A third significant change is the construction of a production building (item 3), measuring 590 by 280 feet, in the southern portion of the plant area. A small patch of light-toned earth scarring seen at the site on photography of [REDACTED] may have represented initial construction efforts. Photography of [REDACTED] revealed the rectangular outline of the foundation, and [REDACTED] photography revealed the structure nearing completion. Its roof structure consists of two rows of three wide monitors, parallel to the long axis of the building. The outside roof edges appeared indefinite, indicating that construction may be incomplete.

Several smaller storage and miscellaneous buildings have also been constructed since [REDACTED] their total roof coverage, however, is small, representing a relatively insignificant addition to the plant. Significant roof coverage added at the plant since [REDACTED] is 321,700 square feet, giving the plant 4,799,600 square feet.

25X1D

PLANT POST BOX 192

Plant Post Box 192 is located between Plant Post Box 186 and the Test Facility along the south side of the main rail line running through the complex (Figure 4). The main part of this area is walled and contains one large final assembly building (item 8, Figure 4) and seven smaller production buildings. A contiguous walled/fenced area on the south-east contains one small industrial building


and several miscellaneous buildings. In addition, a number of other buildings, several of which are of recent construction, are scattered outside the secured areas on the south and east and may also be associated with this plant.

Several changes of significance have taken place at Plant Post Box 192 since [REDACTED]. An extension of the large walled area 600

TOP SECRET CHESS RUFF

TOP SECRET CHESS RUFF

NPIC/R-250/64



25X1D

FIGURE 4. PLANT POST BOX 192, [redacted]

25X1D

TOP SECRET CHESS RUFF

TOP SECRET CHESS RUFF

NPIC/R-250/64

25X1D

feet to the west adds approximately six acres to the plant. This enclosure and a small building within it have been constructed since


A production building (item 4) has been added in the northern part of the plant. This building has also been constructed since

Photography of which was very hazy, revealed this building in the mid stage of construction. On photography, it appeared complete, although the indistinct edges of what appeared to be two monitors extending the length of the roof indicated that some work remained to be done.

In a building was under construction (item 2) west of the large final assembly building (item 8). The excavation for this structure had been started when the plant was first seen on photography of

Photography from subsequent missions

revealed steady progress; spoil from the large hole was being piled across the road to the south. By a rectangular building foundation rising slightly above ground level was visible in the center of the excavation. Additional excavation and construction were also evident in a larger rectangular area surrounding the foundation.



A small gable-roofed storage building (item 3) has also been constructed in the same area since Buildings added since or presently under construction add more than 110,000 square feet to the plant, resulting in a total roof coverage of 1,255,650 square feet.

TEST FACILITY

25X1B

The DMDPC Test Facility is located immediately west of Plant Post Box 192 (Figures 5 and 6). It is surrounded by a triple security fence and appears to have little direct road access to the other two areas of the plant. A rail spur enters the Test Facility from the north and serves several of the buildings, but does not appear to extend to any of the test stands. The major components of the facility consist of three large vertical test stands (items 1, 2, and 3, Figure 6) and numerous support structures in the northern half of the area and a number of smaller structures connected by a system of overhead pipelines in the southern half.

The installation appears to be active as evidenced by photography of

The mark at one stand (item 3) is cone shaped with the apex of the cone appearing to center on the stand. This would indicate that the stand has a single test position. The mark at the other stand (item 2) is irregular in shape and appears to have emanated from one side of the stand rather than from the center; this indicates the presence of more than one test position. No

(item 1) on the photography.

Two changes that took place during the period are worthy of note. First, the secured area has been increased in size by approximately 25 percent by the fencing of an additional area on the north-northwestern side of the facility. Except for an open ditch in the western corner, no new

TOP SECRET CHESS RUFF

NPIC/R-250/64



FIGURE 5. TEST FACILITY, [REDACTED]

25X1D

NPIC H-8988 (4/64)

- 7 -

TOP SECRET CHESS RUFF

TOP SECRET CHESS RUFF

NPIC/R-250/64




FIGURE 6. LAYOUT OF TEST FACILITY.

NPIC H-8987 (4/64)

TOP SECRET CHESS RUFF


TOP SECRET CHESS RUFF

NPIC/R-250/64

25X1B

construction or development has taken place in the newly enclosed area. Second, a large rectangular structure (item 4), measuring 145 by 90 feet, has been constructed at a relatively isolated site on the western edge of the test area. Indications that this structure may still be under construction are that it is difficult to determine the shape of the roof and that an open ditch extends from the structure to a building (item 10) in the center of the facility. Overhead pipelines of undetermined function appear to extend from the roof of this structure, downward to the ground to the north and south. These pipelines extend for short distances and have indefinite terminal points; this also suggests incomplete construction and/or intended further extension. A shallow excavation extends beyond the building on the south and southwest.

other terminal points of the pipelines system are vague. One pipeline extends beyond the triple fence on the western side of the facility; another appears to go underground between the outer and inner fences on the south; one enters a long, low structure (item 20) in four distributaries; and others branch out to groups of small structures. The function of these



25X1D

25X1D

Two other features of the test facility, not new but discerned for the first time on [redacted] photography, are a system of overhead pipelines and a structure (item 20) of indefinite shape in the south-central part of the facility.

The system of overhead pipelines connects most of the structures in the northern half of the test area. Only one of the pipelines is seen near the test stands; this line appears to connect to a building (item 9) between two test stands (items 1 and 2). The locations of

A long, low structure (item 20) in the south-central part of the facility was seen more clearly on the [redacted] photography. It has indefinite, somewhat rounded edges which may indicate bunkering. Lines of the overhead pipeline system were observed entering one side of this building in four places, and on the opposite side four small dark areas where snow has melted may represent the effects of one of a variety of causes such as liquid spillage, blast, or heat exhaust. An open ditch extends from the northeastern corner of the structure to the edge of the nearby ravine.

25X1D

TOP SECRET CHESS RUFF


TOP SECRET CHESS RUFF

NPIC/R-250/64

REFERENCES

25X1D

PHOTOGRAPHY



MAPS OR CHARTS

- ACIC. US Air Target Mosaic, Series 10, Sheet 0234-0005-10M, 1st ed, Jun 50 (CONFIDENTIAL)
- ACIC. US Air Target Mosaic, Series 25, Sheet 0234-9996-1-25MA, 2d ed, Jun 53 (SECRET)
- ACIC. US Air Target Mosaic, Series 50, Sheet 0234-21/7MA, 1st ed, Feb 61 (SECRET)
- ACIC. US Air Target Mosaic, Series 200, Sheet 0234-21AL, 2d ed, Nov 60 (SECRET)

DOCUMENTS

1. NPIC. R-91/63, *Probable Missile Production Plants and Propulsion Test Facilities at Dnepropetrovsk, USSR*, Jun 63 (TOP SECRET CHESS RUFF)

REQUIREMENT

NPIC. PC-63-64

NPIC PROJECT

N-96/64

TOP SECRET CHESS RUFF